To: Patulski, Meg[patulski.meg@epa.gov]
Cc: VanGessel, Benjamin[vangessel.benjamin@epa.gov]; Russ, Timothy[Russ.Tim@epa.gov];
Dresser, Chris[Dresser.Chris@epa.gov]; Owen, Chris[Owen.Chris@epa.gov]; Bailey,
Chad[bailey.chad@epa.gov]
From: Berry, Laura
Sent: Thur 12/22/2016 3:23:47 PM
Subject: FW: I-70 East Project - Request to FHWA for Additional Information and Preliminary
Comments/Observations
Protocol_AirQuality_I-70EastDEIS_11Feb13.pdf
Protocol_AirQuality_I-70 East FEIS_Final.pdf
I-70E_AQ_Coop_Agency_Mtg_draft_Notes_EPA_Comments.docx

Ex. 5 - Deliberative Process

Ex. 5 - Deliberative Process (here's the protocol from Oct 2014):

Season(s) to be modeled

CDOT will model the same season in the Final EIS as modeled in the Supplemental Draft EIS. Because
PM_{10} (and CO) violations have typically occurred in the winter and the maintenance plans for these
pollutants address wintertime conditions, the project team proposes modeling only the winter season.
This will reduce the MOVES modeling workload by a factor of four while still modeling the "worst-case"
season for air quality in Denver.

Ex. 5 - Deliberative Process

Laura Berry

(734) 214-4858

berry.laura@epa.gov

From: Russ, Timothy
Sent: Thursday, December 22, 2016 10:02 AM
To: Dresser, Chris <Dresser.Chris@epa.gov>; Berry, Laura <berry.laura@epa.gov>; VanGessel,

Benjamin <vangessel.benjamin@epa.gov>
Cc: Owen, Chris <Owen.Chris@epa.gov>; Bailey, Chad <bailey.chad@epa.gov>
Subject: RE: I-70 East Project - Request to FHWA for Additional Information and Preliminary
Comments/Observations

Hi Everyone,

Ex. 5 - Deliberative Process

The FHWA/CDOT February 13, 2013 draft air quality modeling protocol is attached and
I would point you to page 5, under the heading "**Season(s) to be modeled**" which notes:

"Because PM_{10} (and CO) violations have typically occurred in the winter and the maintenance plans for these
pollutants address wintertime conditions, the project team proposes modeling only the winter season. This will
reduce the MOVES modeling workload by a factor of four while still modeling the —worst-case season for air
quality in Denver."

Ex. 5 - Deliberative Process

Tue 3/5/2013 2:40 PM

Russ, Timothy Russ.Tim@epa.gov

RE: I-70 East: Air Quality Coordination - Draft Air Quality Analysis (Revised 2/11/13): EPA
Comments

EPA has reviewed the "Protocol Air Quality I-70East DEIS 11Feb13.pdf" (copy attached) and offers the
following comments for your consideration (and apologies for not meeting the March 1st requested
response date):

A.) Section 3.1 Carbon Monoxide: For CO hotspot modeling, the draft protocol indicates the following at the top of page 3:

"The conformity rule requires modeling of locations that are or will be at level of service D or worse. In the case of the I-70 project, this could be dozens of intersections. Because the project team is proposing to model only the worst-case location, the EPA Regional Administrator will need to approve this approach pursuant to 40 CFR §93.123(a)(1). Similar approval was sought and received for the streamlined approach used for CO hotspot modeling for the T-Rex project."

Region 8 consulted with our Office of Transportation and Air Quality (OTAQ) and we have agreed that this approach is acceptable, as was done for the Trex project, for CO hotspot modeling for the I-70 East project. For reference, below is the FHWA-provided discussion from the Trex project and we have also provided a .pdf file of Region 8's letter of May 3, 1999 on the issue (see: "990503 EPA SE Corridor AQ Approval.pdf") – and thanks to CDOT for being able to produce this .pdf file. However, please be aware that a similar letter from Region 8's Regional Administrator, with supporting technical information for the I-70 East Project, will be necessary:

"Denver's Southeast Corridor project

This project involves the reconstruction and improvement of approximately 20 miles of I-25 and I-225 in the southeast portion of the Denver metro area. The project includes reconstruction and widening of the interstates, reconstruction of seven interchanges, replacement of 11 bridges, and construction of 19.7 miles of double-tracked light rail transit. The air quality scoping process for this project revealed that a literal application of the conformity rule's hotspot modeling requirements (analysis of all locations at or expected to be at LOS D or worse) would necessitate modeling of 54 intersections. Modeling each of these locations for the 2008 opening day and the 2020 design year, for the Preferred Alternative and No-Action, and for a.m. and p.m. peak hours would have resulted in over 400 model runs.

In order to reduce the modeling workload, the Colorado Department of Transportation and its consultants worked through the interagency consultation process to identify an alternative analysis approach that would capture the worst-case intersections without the need for modeling all of them.[32] First, the project corridor was divided into two sections; a northern section, with high volumes and congestion, and a very narrow right-of-way bordered by residential development; and a southern section, with less congestion and a wider right-of-way. In the northern section, the four most congested interchanges were selected for modeling, for both 2008 and 2020. In the southern section, a "worst-case" interchange was selected for modeling, based on congestion, roadway geometry and traffic volumes. A single worst-case model run for this location combined 2008 CO emission rates with 2020 traffic volumes. As a further refinement, it was decided that only the Preferred Alternative in the EIS would be modeled initially; if this alternative did not result in violations of the CO NAAQS, the No-Action alternative would not be modeled. EPA's Region 8 office in Denver approved this methodology in May 1999. Taken together, the refinements in this methodology are estimated to have reduced the modeling workload by 50 to 75%. No violations of the NAAQS for CO were predicted using the adopted screening procedure. *Southeast Corridor EIS Air Quality Analysis Technical Memorandum*, Carter & Burgess, June 1999."

B.) Section 4.2. PM$_{10}$ Quantitative Hotspot Analysis: For the PM$_{10}$ hotspot modeling, the protocol indicates the following on page 7:

"After reviewing the locations of these three monitors on aerial photographs, the project team proposes to use Commerce City as the background monitor as it best captures the industrial PM10 contributions in the project area and is a reasonable distance from the I-70 corridor (i.e., it may best reflect actual background concentrations, excluding I-70 impacts). It also may be appropriate to use a different monitor or interpolate between these and/or another monitor."

Ex. 5 - Deliberative Process

C.) Section 4.5 Mobile Source Air Toxics: On page 9 of the draft protocol, the following statement appears:

"CALPUFF is being used rather than AERMOD for the MSAT analysis because AERMOD is not supported for near-roadway applications of MSATs."

Region 8 has conferred with OTAQ and we note that this statement is not correct and does not comport with general practice among air quality modelers. AERMOD, CALINE3, CAL3QHC, and CAL3QCHR are all able to model MSAT concentrations. The modeling procedures outlined in the EPA guidance document, *Transportation Conformity Guidance for Quantitative Hot-spot Analyses in PM2.5 and PM10 Nonattainment and Maintenance Areas* are applicable to MSATs, as specified in Section 1.5 of that document. We note also that AERMOD is able to model NO$_2$ concentrations, as specified in Section 10 of EPA's *Near-road NO2 Monitoring Technical Assistance Document*. In conclusion, there is no technical reason why AERMOD could not be used to model MSATs or NO$_2$ or why CALINE3, CAL3QHC, or CAL3QHCR could not be used to model MSATs.

Also, I would note that same language for the "**Season(s) to be modeled**" appears on page 3 of the Final EIS (FEIS) air quality modeling protocol (please see the attached .pdf file).

Ex. 5 - Deliberative Process

Ex. 5 - Deliberative Process

[Suggested Comment:]

Ex. 5 - Deliberative Process

Ex. 5 - Deliberative Process

Once we have agreed on the content/form of the above requests and comment, I would then suggest that we send the requests/comment out from Region 8 (Tim volunteers) with "cc" to other EPA personnel.

Thoughts?

Thanks!

Tim

Tim Russ
Environmental Scientist
USEPA Region 8
Air Program
1595 Wynkoop Street (8P-AR)
Denver, CO 80202-1129
Ph. (303) 312-6479
Fax (303) 312-6064
e-mail: russ.tim@epa.gov

From: Dresser, Chris
Sent: Wednesday, December 21, 2016 1:57 PM
To: Berry, Laura <berry.laura@epa.gov>; Russ, Timothy <Russ.Tim@epa.gov>; VanGessel, Benjamin <vangessel.benjamin@epa.gov>
Cc: Owen, Chris <Owen.Chris@epa.gov>; Bailey, Chad <bailey.chad@epa.gov>
Subject: RE: CO Moves files for EPA review

Ex. 5 - Deliberative Process

Chris Dresser

U.S. EPA – Region 8

1595 Wynkoop Street

Denver, Colorado 80202-1129

Phone: (303) 312-6385

From: Berry, Laura
Sent: Wednesday, December 21, 2016 1:53 PM
To: Russ, Timothy <Russ.Tim@epa.gov>; Dresser, Chris <Dresser.Chris@epa.gov>; VanGessel, Benjamin <vangessel.benjamin@epa.gov>
Cc: Owen, Chris <Owen.Chris@epa.gov>; Bailey, Chad <bailey.chad@epa.gov>
Subject: FW: CO Moves files for EPA review

Hi all,

Ex. 5 - Deliberative Process

Ex. 5 - Deliberative Process

3.   A decoder for which alternatives go with which AERMOD input/output file names

What else? Feel free to reply to all. Tomorrow I can write it up, or R8 can, and we can figure out who should send it... R8 can send w/ a cc to HQ, or we can send, whatever R8 prefers.

Laura Berry

(734) 214-4858

berry.laura@epa.gov

From: Dresser, Chris
Sent: Monday, December 19, 2016 10:30 AM
To: Horn, Chris (FHWA) <Chris.Horn@dot.gov>
Cc: Vanessa Henderson - CDOT <vanessa.henderson@state.co.us>; Wallis, Carrie (Carrie.Wallis@atkinsglobal.com) <Carrie.Wallis@atkinsglobal.com>; Houk, Jeff (FHWA) <Jeff.Houk@dot.gov>; Claggett, Michael (FHWA) <Michael.Claggett@dot.gov>; Perritt, Karen (FHWA) <Karen.Perritt@dot.gov>; Berry, Laura <berry.laura@epa.gov>; Russ, Timothy <Russ.Tim@epa.gov>
Subject: RE: CO Moves files for EPA review

Chris and Mike,

Could you also provide the scripts and/or intermediate tables that calculate the volume source emission rates from the MOVES output? It is important for us to understand how the cross-walk between MOVES links and AERMOD sources was performed.

Thanks,

-Chris

Chris Dresser

U.S. EPA – Region 8

1595 Wynkoop Street

Denver, Colorado 80202-1129

Phone: (303) 312-6385

From: Horn, Chris (FHWA) [mailto:Chris.Horn@dot.gov]
Sent: Sunday, December 18, 2016 8:51 AM
To: Dresser, Chris <Dresser.Chris@epa.gov>; Russ, Timothy <Russ.Tim@epa.gov>
Cc: Vanessa Henderson - CDOT <vanessa.henderson@state.co.us>; Wallis, Carrie
(Carrie.Wallis@atkinsglobal.com) <Carrie.Wallis@atkinsglobal.com>; Houk, Jeff (FHWA)
<Jeff.Houk@dot.gov>; Claggett, Michael (FHWA) <Michael.Claggett@dot.gov>; Perritt, Karen
(FHWA) <Karen.Perritt@dot.gov>
Subject: RE: CO Moves files for EPA review

Tim and Chris,

Referred to FHWA

Chris Horn, PE

Senior Area Engineer

Colorado Division

Federal Highway Administration

720-963-3017

From: Horn, Chris (FHWA)
Sent: Wednesday, November 23, 2016 8:41 AM
To: 'dresser.chris@epa.gov'; 'russ.tim@epa.gov'
Cc: 'Vanessa Henderson - CDOT'; Wallis, Carrie (Carrie.Wallis@atkinsglobal.com); Houk, Jeff (FHWA);
Claggett, Michael (FHWA); Perritt, Karen (FHWA)
Subject: RE: CO Moves files for EPA review

Tim and Chris,

Referred to FHWA

Chris Horn, PE

Senior Area Engineer

Colorado Division

Federal Highway Administration

720-963-3017

From: Horn, Chris (FHWA)
Sent: Friday, November 18, 2016 10:47 AM
To: 'dresser.chris@epa.gov'; 'russ.tim@epa.gov'
Cc: 'Vanessa Henderson - CDOT'; Wallis, Carrie (Carrie.Wallis@atkinsglobal.com); Houk, Jeff (FHWA);
Claggett, Michael (FHWA)
Subject: CO Moves files for EPA review

Chris and Tim,

Referred to FHWA

Chris Horn, PE

Senior Area Engineer

Colorado Division

Federal Highway Administration

720-963-3017